# Omnisports REFERENCE MULTI-USE



April 2021

The Omnisports products have a factory-applied surface coating called Topclean X-treme performance (XP). This makes Omnisports extremely resistant to abrasion, stains and chemicals and thus makes it easier to maintain. Please note that to provide the end-customer with the best use of the flooring, the maintenance procedure must carefully be followed. If not, Tarkett Sports will decline all potential damages following a non appropriate maintenance procedure.



After installation, ensure that the temperature and the relative air rate moister always respect Tarkett Sports recommendations.

### **GENERAL ADVICES:**

Anyone using the sports surface must wear dedicated footwear, suitable and specific for practicing indoor sports. Around 80% of dust are coming from outside, doormats should be installed at the entrance of the sports hall which include:

A rubber or brush mat to remove coarse dirt, A ribbed carpet mat to retain fine and damp dirt, A carpet mat to absorb residual moisture and dirt.



Minimum 5 "foot sweeps" is recommended

Emco: www.emco-bau.com

## **DAILY MANUAL MAINTENANCE:**

Remove dust and gravels by sweeping or vacuum cleaning.





## **WEEKLY MECHANICAL MAINTENANCE:**

Minimum once a week, wash mechanically with an automatic scrubber machine (for example Nilfisk BR652) fitted out with 3M red pads or with an auto scrubber (for example Rotowash B60) equipped with flexible grey brushes. Dilute the cleaning product (such as Tanex Trophy) by 1% (100 ml for 10 L) in the tank.

Tanex Trophy (Werner et Mertz): www.wmprof.com

Rotowash: www.rotowash.com

Nilfisk: www.nilfisk.com





Important: Please follow manufacturer's recommendations.



# Omnisports REFERENCE MULTI-USE



April 2021

### **PERIODICAL MAINTENANCE:**

A periodical care can be done by using an automatic scrubber machine (for example Nilfisk BR652) fitted out with 3M red pads or with an auto scrubber (for example Rotowash B60) equiped with flexible grey brushes. Dilute the cleaning product (such as Tanex Trophy) by 10%. Apply the mix (water/Tanex Trophy) without vacuuming. Let the product soak into the floor for 5 minutes, vacuum the surface, and then clean against the floor only with water.

Important: Please follow manufacturer's recommendations.

For this periodical maintenance, you can also use a special scrub disc to avoid using detergent.

ADN company: www.adnnord.net





For a GreenLay installation, the weight of scrubber dryer + people (if stand on) must not exceed 400kg.

## **STAINS REMOVAL:**

Spills should be wiped up quickly, by using a white clean cloth, before they have time to set, then clean the floor with clear water.

For stubborn stains on the floor (handball players resin for instance), spray Tanex Trophy (dilution 20%), let it work during 1 minute, rub with a piece of 3M pad red, flush with water and sweep with a white clean cloth.

Important: Please follow manufacturer's recommendations.



# **CAUTION, DO NOT USE:**

Benzine, toluol, acetone, tetrachlororoethene, thinner, oil wax or strong scouring powders...... Black rubber tires (pad on the feet of seats, bench.....) can cause permanent discoloration and should not be used.



# Omnisports REFERENCE MULTI-USE



April 2021

### PROTECTION OF THE FLOORING DURING LIGHT NON-SPORTIVE EVENTS:

Omnisports Reference *Multi-use* has an excellent indentation behavior that allow the holding of activities such as: forums, meetings, ceremonies, associative activities, leisure centers without the addition of protection on the floor covering\*.

To guarantee the durability of your Omnisports Reference *Multi-use*, we recommend to control the quality of chairs and tables feet (rubber feet are forbidden) and also to install doormats in front of all external entrances to hold the dirt and moister that can domage the Omnisports wear layer.

The maximum weight on the floor must not exceed 10kg/cm<sup>2</sup> during 5 hours.



# PROTECTION OF THE FLOORING DURING HEAVY NON-SPORTIVE EVENTS:

In order to protect the flooring during non-sportive events, like a fair, concert or ball, we recommend the use of Tarkett Sports Protectiles or Touchdown. Under stage or podium, we recommend also to protect floor with distributions plates.

# BEHAVIOUR UNDER HEAVY ROLLING LOAD (CHERRY PICKER, FORKLIFT...):

We recommend to install a 18mm thickness timber spreader. these planks should be installed on all the rolling area. This method tends to lower the pressure on the floor (weight distribution), and avoids indentation and deformation of Omnisports. The parking time must not exceed 5 hours.

\* Only for glued installation, Greenlay installation and glued installation on Tarkolay with Greenlay Glue.

The information given in this guide is provided for indicative purposes only. It is the result of our knowledge and our experience. It shall be taken as general maintenance instructions and cannot, by definition, incorporate the actual data for each installation. We therefore reserve the right to modify it at any time.

